

[85523](#): Sno Bol Toilet Cleaner 32 Oz [12] (DISCONTINUED)

MSDS Last updated: 04/20/2010

CHURCH & DWIGHT CO., INC
MATERIAL SAFETY DATA SHEET

MSDS NUMBER: MSDS-110

ISSUE DATE: 06/23/09

1. PRODUCT AND COMPANY IDENTIFICATION

Church & Dwight Co. Inc.
469 N. Harrison Street
Princeton, NJ 08540

Product Name

SNO BOL Toilet Bowl Cleaner

Emergency Phone:

1-800-926-5222

EPA Reg. No. 10772-5

Medical Emergency Phone;

1-888-234-1828

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Clear blue, liquid, wintergreen odor.

Can cause chemical burns to skin, eyes and mucous membranes.

Ingestion or inhalation can cause severe injury and possibly death.

Hazardous fumes will be generated if mixed with chlorine bleach, ammonia, or other household cleaners and chemicals.

This product is labeled in accordance with regulations administered by the Environmental Protection Agency (EPA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this MSDS differ from the labeling requirements of the EPA and, as a result, this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

HMIS Rating

Health 3

Fire 0

Reactivity 0

Potential Health Effects

EYE: Can cause burns with impairment of permanent loss of vision.

SKIN CONTACT: Can cause severe irritation and chemical burns.

INGESTION: Harmful and may be fatal. Can cause mucous membrane and circumoral burns, abdominal pain and discomfort, perforation of the esophagus and gastrointestinal tract, necrosis of the stomach, respiratory distress (secondary to epiglottal swelling, shock, and renal failure).

INHALATION: Fumes can cause irritation with possible corrosive burns of the upper respiratory tract, pain and coughing, difficult breathing, headache, chemical pneumonitis, and pulmonary edema.

SUBCHRONIC EFFECTS/CARCINOGENICITY: None known. Not classified as carcinogenic by IARC, NTP, OSHA, ACGIH or NIOSH.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	% By Wt.	CEILING EXPOSURE LIMITS(for hydrogen chloride)	
			OSHA	ACGIH
Water	7732-18-5	80-90%	None	None
Hydrochloric Acid	7647-01-0	10-20%	5ppm	5ppm

4. FIRST AID MEASURES

SKIN: Immediately remove contaminated clothing. Immediately flush affected areas with a large amount of water until no evidence of product remains. Get medical attention if irritation develops and persists. Wash clothing before reuse.

EYES: Immediately flush eyes with large amounts of clean, flowing water, occasionally lifting upper and lower eyelids. Flush eyes for 15 minutes or until no evidence of product remains. Get immediate medical attention.

INHALATION: Immediately move from area of exposure to fresh air. Get medical attention if person has difficulty breathing. If breathing has stopped, give artificial respiration and get medical attention immediately. Keep affected person warm and at rest. Treat symptomatically and supportively.

INGESTION: Get immediate medical attention. Do not induce vomiting. If vomiting occurs, keep head below hips to prevent aspiration. Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Do not attempt to give anything orally to an unconscious person.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASHPOINT: Not Determined

METHOD USED: Not Applicable

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire. Use water to cool containers that can not be moved.

FIRE-FIGHTING INSTRUCTIONS: Keep upwind and avoid breathing corrosive vapors. Thermal decomposition may release corrosive hydrogen chloride. Apply cooling water in flooding amounts and from as far a distance as possible to sides of containers that are exposed to flames until well after fire is out. Water should not be used directly on material, but water spray can be used to absorb corrosive vapors. Wear proper full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA) with full face piece operated in positive pressure mode.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None identified.

6. ACCIDENTAL RELEASE MEASURES

Isolate spill area and deny entry to unauthorized persons. Wear proper protective equipment (see Section 8) to prevent exposure to the spilled

material. Stop the source of the leak if you can do so without risk. Ventilate the area. Dike to contain large spills. For all spills, neutralize with soda ash or lime. Take up with sand or other absorbent material and shovel into clean, dry containers. Cover containers and remove from area for later disposal as regulations permit (See Section 12). Flush spill area thoroughly with water.

7. HANDLING AND STORAGE

Store in original containers away from incompatible materials (See Section 10). Keep containers tightly closed. Do not store in carbon steel or aluminum containers. Prevent exposure to material during handling by wearing appropriate protective equipment (See Section 8).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: Provide local exhaust ventilation to meet permissible exposure limits where fumes or vapors may be generated or released.

RESPIRATORY PROTECTION: A NIOSH approved respirator with an organic vapor/acid

cartridge may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative to exposure.

PROTECTIVE GLOVES: Chemical resistant gloves should be worn during occupational use conditions and for cleaning up spills to prevent skin contact.

EYE PROTECTION: Splash proof, chemical resistant safety goggles should be worn to prevent eye contact with this product during occupational use conditions or when cleaning up spills. Eye wash facility is recommended for the work area or in close proximity.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Impervious clothing should be worn

during occupational use conditions to prevent skin contact with this product.

PROTECTIVE WORK/HYGIENIC PRACTICES: No special requirements with respect to chemical exposure beyond those noted above. Specific requirements with respect to equipment and applications are the responsibility of the handler/user.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear blue liquid.

ODOR: Wintergreen odor

PHYSICAL STATE: Liquid

pH CONCENTRATE: 1.0 (approx.)

VAPOR PRESSURE: Not determined

VAPOR DENSITY: Not determined

BOILING POINT: >200F (>93C)

FREEZING POINT: Not determined

SOLUBILITY IN WATER: Complete

SPECIFIC GRAVITY (Water=1): 1.0738 - 1.0753 @ 15 C

APPARENT DENSITY: 8.95 lbs/gal @ 15 C

%VOLATILES: Approximately 84%

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal temperatures and pressures.

CONDITIONS TO AVOID: High temperature extremes and contact with incompatible materials.

INCOMPATIBILITY WITH OTHER MATERIALS: Highly reactive with strong bases, metals,

metal oxides, hydroxides, oxides, carbonates, and alkaline materials in general.

Incompatible with cyanides, sulfides, sulfites, and formaldehyde.

OTHER PRECAUTIONS: DO NOT MIX with chlorine bleach, ammonia, or other household

cleansers or chemicals. Do not use on chrome, countertops, bathtubs, washbowls, or other enamel surfaces.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may release corrosive

hydrogen chloride.

HAZARDOUS POLYMERIZATION: Has not been reported to occur under normal temperatures and pressures.

11. TOXICOLOGICAL INFORMATION

The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

EYE EFFECTS; May cause burns with impairment or permanent loss of vision.

Symptoms may include pain, tearing and photophobia.

SKIN EFFECTS; May cause irritation and chemical burns.

ACUTE ORAL EFFECTS; May cause mucous membrane and circumpolar burns, excess

drooling, difficulty in swallowing, pain upon swallowing, vomiting of blood,

abdominal pain, perforation of the esophagus and gastrointestinal tract,

necrosis of the stomach, respiratory distress (secondary to epiglottal

swelling), shock, renal failure, and death.

INHALATION EFFECTS; Fumes may cause irritation with possible burns of the mucous membranes of the upper respiratory tract, conjunctivitis, bronchitis, immediate pain and coughing, choking, headache, dizziness, weakness, chemical pneumonitis, and pulmonary edema.

12. ECOLOGICAL INFORMATION

TOXICITY: This product can be acutely toxic to aquatic animals.

PERSISTENCE: This product is not expected to persist in the environment.

BIOACCUMULATION: This product is not expected to bioaccumulate.

Hydrochloric acid can be acutely toxic to aquatic life through reduction in aqueous pH to toxic levels. Typically most aquatic species are intolerant of pH

levels lower than 5.5 for any extended length of time. Reduction of pH levels may also cause the liberation of metals such as aluminum, which will also contribute to, exhibited toxicity.

13. DISPOSAL CONSIDERATIONS

Dispose of spilled or waste product in accordance with all local, state and federal environmental regulations. State and local regulations may differ from federal. Be sure to consult with appropriate agencies for specific rules.

14. TRANSPORTATION INFORMATION

D.O.T. SHIPPING NAME: CONSUMER COMMODITY

D.O.T. HAZARD CLASS: ORM-D

UN/NA: Not Applicable

15. REGULATORY INFORMATION

The ingredients in this product are reported in the U.S. EPA TSCA Inventory List.

CERCLA (40 CFR 302.4): Components present in this product at a level which could require reporting are;

Hydrochloric Acid (hydrogen chloride) - RQ: 5000 pounds.

SARA TITLE III

Section 302, Extremely Hazardous Substances; None

Section 311/312, Hazard Category; Immediate (acute)

Section 313; Toxic chemical - This product is exempt from supplier notification.

16. OTHER INFORMATION

SUPERSEDES DATE; 07/23/08

REASON FOR REVISION; Name Change

For additional non-emergency health, safety and environmental information telephone 609.279.7705 or write to:

Church & Dwight Co. Inc.
R & D Technical Regulatory Affairs
469 North Harrison St.
Princeton, NJ 08543

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co. Inc. provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co. Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

The information contained in this MSDS was obtained from current and reliable sources, however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of Imperial Supplies LLC, Imperial will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty,

expressed or inferred, regarding the product described in this MSDS shall be created or inferred by any statement in this MSDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.